

Anyag, átmérő	Érd	Diósd	Tárnok	Pusztazámor	Sóskút	Herceghalom	Remeteszőlős	Törökbálint	Összesen
Vízvezeték hossza (km)	606,558	96,788	81,613	15,974	43,794	24,447	11,664	141,689	1 022,527
Gerincvezeték [km]	409,635	75,681	58,870	13,913	35,091	22,684	8,830	109,021	733,726
NA 80									
Öntöttvas									
ac	80,546	19,259	3,558	0,790	3,899	1,544		16,257	125,853
Műanyag (KPE, KM-PVC)	19,952	1,256	3,449	0,166	0,134	0,945		5,616	31,518
NA 100									
Öntöttvas									
ac	65,548	3,632	12,173	5,408	2,187	1,041		1,437	91,426
Műanyag (KPE, KM-PVC)	144,648	34,544	27,215	6,993	14,107	14,802	8,825	39,236	290,371
NA 125									
Öntöttvas									
ac	1,578					1,284		0,663	3,526
Műanyag (KPE, KM-PVC)	0,003							0,284	0,287
NA 150									
Öntöttvas									
ac	9,070	0,455	3,387	0,447	6,434	0,906		1,346	22,044
Műanyag (KPE, KM-PVC)	14,186	10,985	3,241	0,001	1,186	2,153		10,524	42,276
NA 200									
Öntöttvas	0,762								0,762
ac	18,919		3,628		2,474			3,624	28,646
Műanyag (KPE, KM-PVC)	3,298	0,528			3,883			8,764	16,473
NA 225									
Öntöttvas									
ac									
Műanyag (KPE, KM-PVC)	7,631	0,005						1,290	8,925
NA 250									
Öntöttvas	0,042								0,042
ac	16,361		2,084					1,298	19,744
Műanyag (KPE, KM-PVC)	0,330	0,002							0,332
NA 300									
Öntöttvas									
ac	1,425							2,342	3,767
Műanyag (KPE, KM-PVC)	3,325	3,921						12,796	20,042

Anyag, átmérő	Érd	Diósd	Tárnok	Pusztazámor	Sóskút	Herceghalom	Remeteszőlős	Törökbálint	Összesen
NA 400									
Öntöttvas									
ac	8,501								8,501
Műanyag (KPE, KM-PVC)	2,575								2,575
NA 600									
Öntöttvas	4,661	0,030							4,691
ac	3,197	0,892						1,625	5,714
Műanyag (KPE, KM-PVC)	0,087								0,087
NA 700									
Öntöttvas									
ac									
Műanyag (KPE, KM-PVC)									
Egyéb*	2,988	0,173	0,135	0,109	0,787	0,009	0,005	1,918	6,124
Bekötő vezeték [km]	196,923	21,106	22,743	2,061	8,704	1,762	2,834	32,668	288,801
NA 20									
horganyzott acél									
ac									
Műanyag (KPE, KM-PVC)	0,143								0,143
NA 25									
horganyzott acél	85,761	2,176	4,350		0,051			0,875	93,213
ac									
Műanyag (KPE, KM-PVC)	73,513	10,149	15,289	0,332	7,179	0,341	2,782	29,033	138,616
NA 32									
horganyzott acél	1,011	0,092	0,015					0,156	1,274
ac									
Műanyag (KPE, KM-PVC)	1,053	0,214	0,126	0,029	0,046	0,049		0,555	2,072
NA 40									
horganyzott acél	0,280	0,033							0,313
ac									
Műanyag (KPE, KM-PVC)	0,230		0,072	0,028	0,037			0,075	0,440
NA 50									
horganyzott acél	0,145	0,001							0,146
ac		0,236							0,236
Műanyag (KPE, KM-PVC)	0,156	0,012			0,073				0,241

Anyag, átmérő	Érd	Diósd	Tárnok	Pusztazámor	Sóskút	Herceghalom	Remeteszőlős	Törökbálint	Összesen
NA 63									
horganyzott acél	0,174								0,174
ac	0,015								0,015
Műanyag (KPE, KM-PVC)	0,554	0,007	0,004		0,061			0,121	0,748
NA 80									
horganyzott acél	0,029		0,007						0,036
ac	0,024								0,024
Műanyag (KPE, KM-PVC)	0,028	0,009	0,023		0,023	0,035		0,039	0,158
NA 100									
horganyzott acél	0,016		0,009						0,025
ac					0,117				0,117
Műanyag (KPE, KM-PVC)	0,619	0,107				0,006		0,043	0,775
NA 150									
Öntöttvas(és-vagy acél)	0,105								0,105
ac									
Műanyag (KPE, KM-PVC)	0,011								0,011
Egyéb									
Öntöttvas									
ac									
Műanyag (KPE, KM-PVC)	0,123		0,094		0,100			0,026	0,343
Egyéb*	32,933	8,070	2,755	1,672	1,018	1,331	0,052	1,745	49,575

* = a fenti kategóriákba nem sorolható